































- [50] S. Thiel, G. Butler, and L. Thiel, “Improving GraphChi for Large Graph Processing: Fast Radix Sort in Pre-Processing,” in *Proc. ACM IDEAS*, Jul. 2016, pp. 135–141.
- [51] R. Vernica, M. J. Carey, and C. Li, “Efficient Parallel Set-similarity Joins Using MapReduce,” in *Proc. ACM SIGMOD*, Jun. 2010, pp. 495–506.
- [52] Vortex. [Online]. Available: <http://ir1.cs.tamu.edu/projects/streams/>.
- [53] J. Wassenberg and P. Sanders, “Engineering a Multi-core Radix Sort,” in *Proc. Euro-Par*, Aug. 2011, pp. 160–169.
- [54] S. White and D. DeWitt, “QuickStore: A High Performance Mapped Object Store,” in *Proc. ACM SIGMOD*, May 1994, pp. 395–406.
- [55] H.-C. Yang, A. Dasdan, R.-L. Hsiao, and D. S. Parker, “Map-reduce-merge: Simplified Relational Data Processing on Large Clusters,” in *Proc. ACM SIGMOD*, Jun. 2007, pp. 1029–1040.
- [56] T. Yang, E. D. Berger, S. F. Kaplan, and J. E. B. Moss, “CRAMM: Virtual Memory Support for Garbage-collected Applications,” in *Proc. ACM OSDI*, Nov. 2006, pp. 103–116.